

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

1 Identification

- · Product identifier
- · Trade name: ScaleShield High Ph Cleaner
- · Other means of identification: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Membrane Cleaner
- · Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

• **Manufacturer/Supplier:** Alpha Water & Power 9033 Grape Creek Rd San Angelo, Texas 76901

· 1-800-283-5007

info@awp.co

. Emergency telephone number: ChemTel Inc.

1-800-255-3924 (North America)

+1-813-248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to the kidneys, the liver, the respiratory system and the nervous system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



· Signal word: Danger

Hazard statements:

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H373 May cause damage to the kidneys, the liver, the respiratory system and the nervous system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe mist/vapors/spray.
- P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Cont'd. on page 2)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

D040	(Cont'd. of page 1)
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

•	Trade Secret emulsifier		10-40%
	Trade Secret chelating agent	 STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332 	<10%
111-42-2	2,2'-iminodiethanol	Carc. 2, H351; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	<10%
	Trade Secret salt	 Eye Dam. 1, H318	<10%
For the lis		chemical components are not required to be I percentage(s) are being withheld as a trade service to section 16.	

4 First-aid measures

· Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation is experienced, consult a doctor. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: May cause respiratory irritation. Coughing Breathing difficulty Gastric or intestinal disorders when ingested. Nausea (Cont'd. on page 3)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

(Cont'd. of page 2)

Diarrhea.
Vomiting.
Slight irritant effect on skin and mucous membranes.
Causes serious eye irritation.
Danger:
Causes serious eye damage.
Suspected of causing cancer.
May cause damage to the kidneys, the liver, the respiratory system and the nervous system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.
Indication of any immediate medical attention and special treatment needed:
No relevant information available.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

· Environmental precautions Avoid release to the environment.

• Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

Precautions for safe handling:

Open and handle receptacle with care.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

(Cont'd. on page 4)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

(Cont'd. of page 3)

Avoid breathing mist, vapors, or spray.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

- Store away from foodstuffs.
- Store away from metals.
- Do not store together with acids.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace:

Trade Secret emulsifier

TLV (USA)Long-term value: 5 mg/m³EL (Canada)Long-term value: 5 mg/m³

EV (Canada) Long-term value: 3.1 mg/m³, 0.5 ppm

LMPE (Mexico) Long-term value: 5 mg/m³

111-42-2 2,2'-iminodiethanol

REL (USA)	Long-term value: 15 mg/m ³ , 3 ppm		
TLV (USA)	Long-term value: 1* mg/m³, 0.2* ppm Skin; *inhalable fraction and vapor		
EL (Canada)	Long-term value: 2 mg/m³ Skin, IARC 2B		
EV (Canada)	Long-term value: 2 mg/m ³		
LMPE (Mexico)	Long-term value: 2 mg/m³ A3, PIEL		

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

• Protection of hands:

(Cont'd. on page 5)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

(Cont'd. of page 4)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Eye protection:**

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

Information on basic physical	and chemical properties	
Appearance: Form:	Liquid	
Color:	Colorless to light brown.	
Odor:	Not determined.	
Odor threshold:	Not determined.	
pH-value:	Alkaline	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	>93 °C (>199.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

(Cont'd. of page 5)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Kinematic: Other information Not determined. Not determined. No relevant information available.

10 Stability and reactivity

• **Reactivity:** Reacts with acids.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

Strong exothermic reaction with acids. • Conditions to avoid Avoid acids.

- Conditions to avoid Avoid acids
- Incompatible materials

Metals. Strong acids

Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

11 Toxicological information

[•] Information on toxicological effects

· Acute toxicity:

May be harmful if swallowed, in contact with skin or if inhaled.

Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: Trade Secret chelating agent Oral LD50 1700 mg/kg (rat) 111-42-2 2,2'-iminodiethanol Oral LD50 1600 mg/kg (rat) Dermal LD50 12200 mg/kg (rabbit) Primary irritant effect: On the skin: Based on available data, the classification criteria are not met. On the eye: Strong irritant with the danger of severe eye injury. Sensitization: Based on available data, the classification criteria are not met. IARC (International Agency for Research on Cancer): 111-42-2 2,2'-iminodiethanol 2,2'-iminodiethanol

(Cont'd. on page 7)

²B



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner (Cont'd. of page 6) · NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. Probable route(s) of exposure: Indestion. Inhalation. Eve contact. Skin contact. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Suspected of causing cancer. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. • **STOT-single exposure:** Based on available data, the classification criteria are not met. · STOT-repeated exposure: May cause damage to the kidneys, the liver, the respiratory system and the nervous system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** · Toxicity · Aquatic toxicity No relevant information available. · Persistence and degradability No relevant information available. · Bioaccumulative potential: No relevant information available. • Mobility in soil: No relevant information available. Additional ecological information · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Other adverse effects No relevant information available. 13 Disposal considerations [•] Waste treatment methods · Recommendation: The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Uncleaned packagings · Recommendation: Disposal must be made according to official regulations. 14 Transport information · UN-Number (Cont'd. on page 8)



WER Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

	Revision: July 10, 2024
de name: ScaleShield High Ph Cleaner	r
	(Cont'd. of
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Transport hazard class(es)	
DOT, ADR/RID/ADN, IMDG, IATA Class	Not regulated.
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Environmental hazards Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
mixture United States (USA) SARA	regulations/legislation specific for the substand
Section 302 (extremely hazardous subs	stances):
None of the ingredients are listed.	
Section 355 (extremely hazardous subs	
	stances):
None of the ingredients are listed.	·
Section 313 (Specific toxic chemical lis	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act)	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act) All ingredients are listed or exempt.	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California)	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer:	·
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: 111-42-2 2,2'-iminodiethanol	stings):
Section 313 (Specific toxic chemical lis 111-42-2 2,2'-iminodiethanol TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: 111-42-2 2,2'-iminodiethanol Chemicals known to cause development	stings):
action 313 (Specific toxic chemical lis 1-42-2 2,2'-iminodiethanol CA (Toxic Substances Control Act) ingredients are listed or exempt. oposition 65 (California) nemicals known to cause cancer: 1-42-2 2,2'-iminodiethanol memicals known to cause cancer: 1-42-2 2,2'-iminodiethanol memicals known to cause development one of the ingredients are listed.	ntal toxicity for females:
 (Specific toxic chemical lis 2'-iminodiethanol c Substances Control Act) ts are listed or exempt. 65 (California) known to cause cancer: 2'-iminodiethanol known to cause development 	ntal toxicity for females:

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

(Cont'd. on page 9)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 10, 2024

Trade name: ScaleShield High Ph Cleaner

(Cont'd. of page 8)

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

111-42-2 2,2'-iminodiethanol

Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

2B